

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/266576066>

Measuring Energy Access: Supporting a Global Target

Article · January 2010

CITATIONS

26

READS

529

13 authors, including:



Patrick Nussbaumer

United Nations Industrial Development Orga...

25 PUBLICATIONS 539 CITATIONS

SEE PROFILE



Anil Cabraal

World Bank

14 PUBLICATIONS 221 CITATIONS

SEE PROFILE



Dolf Gielen

International Renewable Energy Agency

136 PUBLICATIONS 3,073 CITATIONS

SEE PROFILE



Mark Howells

KTH Royal Institute of Technology

85 PUBLICATIONS 1,693 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



Climate Lab [View project](#)



INSIGHT_E [View project](#)

MEASURING ENERGY ACCESS: SUPPORTING A GLOBAL TARGET

Morgan Bazilian¹, Patrick Nussbaumer¹, Anil Cabraal², Raffaella Centurelli³, Reid Detchon⁴, Dolf Gielen¹, Mark Howells⁵, Hilary McMahon⁶, Vijay Modi⁷, Brian O’Gallachoir⁸, Mark Radka⁹, Kamal Rijal¹⁰, and Minoru Takada¹⁰

¹United Nations Industrial Development Organization, Vienna, Austria

²The World Bank, Washington, D.C., USA

³International Energy Agency, Paris, France

⁴United Nations Foundation, Washington, D.C., USA

⁵International Atomic Energy Agency, Vienna, Austria

⁶World Resources Institute, Washington D.C., USA

⁷Columbia University, New York, USA

⁸National University Ireland, Cork, Ireland

⁹United Nations Environment Programme, Paris, France

¹⁰United Nations Development Programme, New York, USA

Abstract: The provision of modern energy services is recognised as a critical foundation for sustainable development. There are increasing discussions within the international community about establishing an international target for universal access to modern energy services. Such a target could provide a much needed political prioritisation and build on ongoing national activity. To ensure effectiveness, and to underpin delivery and policy formation, will require analytical work on both definitions and measurement. There is considerable precedent in the use of indicators and indices in the development and energy sectors. Drawing on that literature, we outline several options that could inform future work in this area. Such measurement and reporting tools will need to be simple, politically attractive, and analytically robust – a difficult balancing act. We propose that annual measurement and reporting at the national level be established in five pilot countries through two composite indices and their respective indicators, and three to five new innovative and complementary metrics.

Contents

1.	Introduction and Context	3
1.1	Measurement to support targets	3
1.2	Defining energy poverty.....	5
1.3	National Policies	6
1.4	Supporting Energy Planning	8
2.	Review of Relevant Development and Energy Metrics.....	9
2.1	An Energy Security Analogy	11
3.	Options for Measuring Energy Access	12
3.1	Three Categories	12
3.2	What to measure: access vs. deprivation.....	14
3.3	Using proxies.....	15
4.	Next steps.....	15
4.1	A Measurement Framework.....	15
4.2	Tools.....	16
4.3	Organisational aspects and pilots	17
5.	Conclusions.....	17
	Acknowledgments.....	17
	Disclaimer	18
	References.....	19

1. Introduction and Context

Access to sustainable, modern, and reliable energy services¹ is central to addressing many of today's global development challenges, including poverty, gender inequality, climate change, food security, health and education. Yet nearly one-third of humanity² lacks access to modern energy services (IEA, 2009a). Although energy is not an explicit part of the Millennium Development Goals (MDGs), the provision of modern energy services³ is recognised as a critical foundation for sustainable development (e.g. UN-Energy, 2005; DFID, 2002; Modi et al., 2005; UNDP, 2005). Yet, progress is far behind the rhetoric. If current trends continue, more people will be without access to modern energy services in 2030 than at present (IEA, 2009a), a situation that is clearly unacceptable. Changing this trend requires global political commitment that goes beyond abstraction and sets out targets, actions and associated benchmarks.

The issue of energy access is receiving more attention than ever before. It is crucial to capitalise on this momentum. Providing a rigorous analytical basis for policy-making by developing a robust set of metrics for measuring energy poverty is therefore timely. To this end we explore the design and use of tools for measuring and reporting on energy access targets. Measurement and reporting is central to the implementation of any global target. It should not be relegated to an operational issue that can be addressed after a national target is forged. The use of measurement tools is widespread in national and international policy, fiscal, and regulatory work. As (Stiglitz, 2009) note, "Statistical indicators are important for designing and assessing policies aiming at advancing the progress of society...More and more people look at statistics to be better informed or to make decisions."



This paper first describes the relevant context, definitions, data, and links to national policies and energy planning. Section 2 reviews relevant development and energy metrics. Several options for measuring energy access are then presented in section 3. Finally, Section 4 offers thoughts on implementing the recommendations in pilot countries.

1.1 Measurement to support targets

IEA (2009b) cites, "sound statistical data...and a clear description of the [energy services] situation" as the first of the preconditions for successful rural energy access policies⁴.

The consideration of robust measuring and reporting mechanisms will help in (Fransen, 2008):

¹ The terms: energy poverty, energy access, and access to energy services are used interchangeably in the document. It is likely preferable to define the terms more exactly however. We could consider lack of access to energy services as one aspect of a wider condition of energy poverty.

² This number includes the roughly 1.5 billion people without access to electricity, and the roughly 2.5 billion people relying on solid fuels.

³ As Lovins wrote (Lovins, 1976) "People do not want electricity or oil, nor such economic abstractions as 'residential services', but rather comfortable rooms, light, vehicular motion, food, tables, and other real things."

⁴ Closely related, but outside of our scope, is the issue of effective metering and information on customer demand.

- Improving availability of information about the range and impacts of actions that countries are taking to increase access to energy
- Helping countries clearly delineate actions they can take to meet their agreed target
- Increasing awareness among countries of policy options and best practice
- Enhancing the effectiveness of implementation of such policies at national and local levels, and the credibility of all countries' efforts

Specifically, we focus on supporting progress in reaching a global target for universal access to energy services by 2030⁵. It is recognised that such a target is inherently political. In other words, such a target would help serve to catalyse the requisite political momentum and associated support activities. We recognise that significant effort is under way in Governments (and utilities) to deliver on existing targets. A global effort, therefore, must support these activities and be aligned with their goals. Indicators will likely need to be put in place at the national level while reflecting regional and local. We consider measurement and reporting for both quantitative and qualitative targets.

While providing universal energy access poses a number of challenges, there are various successful examples of significant scale in the developing world. For instance, more new household electricity connections were made in the 1990's than would be required in each of the next two decades to achieve universal access (AGECC, 2010). This type of grid extension occurred mainly in Asia, especially in China, Vietnam and Thailand, as well as South Africa and Brazil. Still, the challenge will likely increase in the future as the deprived populations will tend to be more dispersed and have lower incomes.

Any metric for energy poverty should allow observers to efficiently Measure, Report, and, to a lesser degree of importance, Verify (MRV) progress. Drawing from the experience of climate change mitigation efforts (Teng et al., 2009), the MRV framework can facilitate the identification of priorities, assess implementation, hold stakeholders accountable and support national implementation. The emerging language on Measure, Assess, and Evaluate (MAE) might be more appropriate to energy access metrics.

To simplify the discussion, the issue of “clean” energy is not explicitly addressed. Thus, this paper is technology (and fuel) neutral (ECOWAS (2005) provides a precedent for this). We do, however, recognise the fundamental role for, and multiple benefits associated with, clean energy in addressing energy access, and the links to emerging “green growth” development discussions. From a measurement perspective, the amount of clean energy in a national energy system can be considered and measured separately to access. In some composite indices it may be useful to consider the two in an integrated way (i.e. to assess access to clean energy services), but the definition of “clean” and the large array of issues and related literature are beyond the scope of this paper.



Although also not covered in this paper, it is clear that financing needs and relevant mechanisms are integral to consideration of targets and their implementation. Measuring financing for energy access may also be a useful indicator. It can also help better assess both the scale and the design of the

⁵ As per the recent (April, 28, 2010) recommendation of the U.N. Secretary-General's Advisory Group on Energy and Climate Change (AGECC). We recognize that there is a need to describe a detailed roadmap, and that different timeframes may prove more realistic. In addition, the date of the target would not materially impact on the requirement to develop measurement methodologies.

related financial policy and mechanisms required. The scale of financing directed in this area will also give a good indication of current priorities and a means to identify gaps.

1.2 Defining energy poverty

A working definition of energy access needs to be clearly defined prior to the development of metrics. The IEA presented a three step-definition (Figure 1 as adapted in AGECC, 2010) that helps to clarify an evolution in access to energy services starting from the case of full deprivation.




Figure 1: Incremental levels of access to energy services (AGECC, 2010)

There have been a number of attempts to quantitatively define energy access and the related metric of energy poverty. In the World Energy Assessment (UNDP, 2000) final household energy requirements for satisfying basic needs are estimated. Such calculations, however, rest on a set of arbitrary assumptions with regard to the consuming energy devices as well as a normative definition of what a set of basic needs consist of, and pay little attention to the type of energy sources accessible (Pachauri, 2003).

Other approaches include the threshold of 10-20% of household income spent on energy services that is commonly used as a benchmark for energy poverty (Fankhauser, 2007). Similarly, the U.N.'s Food and Agricultural Organization (FAO) uses national income and income distribution to estimate the number of people that receive a level of income that would lead to a given state of poverty – under-nourishment in this particular case. These methodologies can be criticised for their lack of scientific rationale, inability to capture wider dimensions of energy poverty (UNDESA, 2009) and inadequacy in contexts where the informal economy plays a significant role. In general, the discussion of affordability is beyond the scope of this paper, but the metrics will need in some way to consider it explicitly⁶.



⁶ As an example, affordability could be partially addressed in terms of percentage of household income spent on energy. Also, using the concept of deprivation provide a means to take into account affordability.

Goldemberg (1985) used a simple model to estimate basic human energy needs for several regions. They note both issues with structural change and technological change in their formula which would change dramatically over time. They conclude, “An emphasis on energy-efficiency improvement and modern energy carriers would make it possible to satisfy basic human needs, to radically expand the industrial infrastructure, and to allow for considerable improvements in living standards, beyond the satisfaction of basic needs, with little change in the overall per-capita level of energy use.”

Energy access metrics need to reflect dimensions of both quantity and quality. Indeed, issues such as connection times, supply disruptions, outages, the value of lost output, voltage quality, frequency stability, and the need for onsite generation (World Bank, 2007) are often missing from the energy access agenda. Yet issues of energy quality need to be integrated into the measurement and policy-making for energy services in the developing world just as they are in the industrialised countries.

1.3 National Policies

Any global target and measurement tools will need to be grounded in national policies. Not surprisingly, (IEA, 2009b) emphasised that sustained government support is a precondition to successful electrification strategies. (UNDP and WHO, 2009) showed that 68 developing countries have electricity targets (Table 1). (There are considerably less for the other categories of: modern fuels, improved cookstoves, and mechanical power.) These national targets are an excellent foundation to build on.

Table 1: Countries with energy access targets (UNDP and WHO, 2009)

	<i>All developing countries</i>	<i>LDCs</i>	<i>Sub-Saharan Africa</i>
Electricity	68	25	35
Modern fuels	16	8	12
Improved cooking stoves	11	4	7
Mechanical power	5	0	5

Figure 2 (UNDP and WHO, 2009) illustrates the amount of countries with data available under four categories, namely: electricity, modern fuels, cooking stoves, and mechanical power (which is considerably less than the other categories).




Figure 2: Countries with data on access in four categories (UNDP and WHO, 2009)

There are also several existing regional strategies with targets⁷, and a number refer to measurement⁸. As an example, (EAC, 2006) describes four targets each with different target populations (Table 2). (UNDP, 2007) describes several benefits of regional plans⁹, including: achieving economies of scale, and increasing the reliability, and maximizing the use, of local energy resources. In order to meet their targets, these regions and countries will require financial support, capacity development, and better regulation and governance structures. Additionally, many of these countries may have existing structures for measurement and reporting on energy access and it may prove useful to garner best practice in this area. In other cases where reporting structures for energy access do not exist, extensive guidance will be required.

Challenges vary dramatically between different regions (some evidence of this is shown in the fact that the percentage of countries that have energy access targets ranges between regions from 15% to 78%). There are also significant variances in needs and solutions between rural and urban conditions (see e.g. GNESD, 2008). To help define specific targets, new benchmarks and norms may be required that consider these variances (although we need to be wary of perverse incentives if these are employed). That approach can also encompass issues related to energy efficiency (these topics are beyond the scope of this paper).

Table 2: East Africa Regional Energy Access Strategy (EAC, 2006)

Target	Population Focus	Energy Service	Access to Energy in 2004: Actual		Goal: Additional Number to Be Reached	Goal: Percent of Category
			no. reached	% of category		
Target 1	Urban poor	LPG, ICS	3.0 million	47%	2.7 million households	73%
	Rural poor	ICS	1.5 million households	11%	6.1 million households	56%
	Nomadic and Conflict	ICS	0.2 million households	11%	0.9 million households	56%
Target 2	Urban poor	Electricity	2.0 million households	43%	5.3 million households	100%
	Urban slums	Electricity	0.5 million households	30%	2.2 million households	100%
Target 3	Schools	Standard level of service	1,848 schools	4%	46,545 schools	100%
	Clinics	Standard level of service	401 clinics	4%	10,323 clinics	100%
	Hospitals	Standard level of service	38 hospitals	5%	750 hospitals	100%
Target 4	Rural communities	Electricity or other form of motive power and heating	955 communities	4%	23,240 communities	100%

Note: ICS: Improved Cooking Stoves; LPG: Liquefied Petroleum Gas

⁷ E.g. Economic Community Of West African States (ECOWAS), East African Community (EAC), and the Economic Community of Central African States (CEMAC)

⁸ ECOWAS (2005) notes, "...the Steering Committee will have a strategic role in guiding activities and monitoring progress of the energy access work plan on a yearly basis."

⁹ As an example (UNDP, 2007) in West Africa, there are energy information systems in Bénin, Niger, Sénégal, and Togo. New systems are at different stages of planning in Burkina Faso, Cameroon, Côte d'Ivoire, Guinée Bissau, Mali, and Togo. These tools allow both evaluation of progress in extending access to energy and prospective studies to facilitate planning for infrastructure.

Another way to look at the focus on energy access in national policies is the reporting through national MDG reports. Takada (2007) quantified the amount of reference to energy that exists in these reports. The study shows large differences in how often the term ‘energy’ was mentioned in the reports. Thorough coverage was noted to be highest in the Asian region and occurred in about 25% of the reports examined.

While national targets will be the backbone of energy access efforts, often translating these targets into utility “obligations” is the most feasible way to ensure delivery (IEA, 2009b). Obligations on utilities as a policy instrument have been used successfully in OECD countries for decades and can be designed in many ways and can be appropriate for both fuels and electricity. They can also create the necessary governance frameworks for monitoring progress and tracking funding.

Monitoring effective national (or local) policies may also prove to be a very useful indicator for energy poverty. Although a slightly different exercise compared to quantitative indicators, policy frameworks are likely the key drivers for the change required. As an analogy, a recent review of climate mitigation policies and measures in China and the measurement and reporting structures assigned to them demonstrates that policy specific measurement and reporting systems provide an important policy feed-back loop which is essential to fostering transparency and accountability more broadly (Teng, 2009). Similarly, (Fransen, 2008) highlight a set of metrics that could be considered to evaluate actions at national level. Whatever the specifics, a robust, and evolving, framework to track progress will promote action to spur widespread access to modern energy services.

1.4 Supporting Energy Planning

Energy modelling is an essential tool to help provide robust underpinning to policy-making. It also tends to be very data intensive which creates obstacles for many countries (Howells et al., 2010). Aligning energy planning exercises with the measurement activities proposed in this paper may provide useful synergies.

An initial step in energy modelling exercises involves determining what the policy objective is and what metric is to be used to measure that objective. Energy system modelling provides a toolkit to assess patterns of current, and projected future, energy use in a quantified manner. This then provides a basis to estimate the extent of the physical requirements (how much of what fuel, appliance and supply technologies, as well as their costs) are needed to meet the goal. To do this significant data is required.

A clear challenge is targeting interventions appropriate to the energy user’s preferences and cultural norms. The provision of affordable electricity access has had many benefits (Kanagawa and Nakata, 2008). However, these are often not realised due to consumer preferences. More electricity may not translate into more clean-cooking or refrigerating food and medicine. A utility, for example, may prefer a large proportion of new consumers to be operating “baseload” refrigerators with interruptible control or other smart appliances, but this may not be the consumer priority.

Finally it should be noted that the energy planning process is iterative. Conditions may change (hopefully in part as the policy goal is met) requiring recalibrating of the analysis. Thus, there should be feedback and monitoring of the effect of these policy measures in terms of the national energy poverty indicators chosen.



2. Review of Relevant Development and Energy Metrics

There are numerous examples of single indicators and composite indices to measure concepts related to development and energy. This section reviews a number of these precedents in order to provide insights for the design of metrics for energy poverty. IAEA (2005) reflected that, "...indicators are not merely data; rather, they extend beyond basic statistics to provide a deeper understanding of the main issues and to highlight important relations that are not evident using basic statistics. They are essential tools for communicating energy issues related to sustainable development to policymakers and to the public, and for promoting institutional dialogue."

Focusing on income-based poverty, the World Bank set a threshold, referred to as the "\$1 a day" line, with the objective of applying a common standard to measure absolute poverty (Chen, 2008). The \$1 dollar a day international poverty line (revised to \$1.25) has been widely used as a benchmark to evaluate absolute poverty trends¹⁰. Many analysts have noted the shortcomings of such methodology and questioned the intrinsic worth of the poverty line as a meaningful representation the multifaceted aspects of poverty (UNDESA 2009).



There are a number of initiatives aimed at providing a "dashboard" of individual indicators (e.g., IEA, 2009c). The United Nations Department of Economic and Social Affairs (UNDESA) suggested a set of indicators organised around themes and sub-themes representing development policy issues (UNDESA, 2001a; UNDESA, 2007). The indicators directly related to energy are: annual energy consumption per capita, intensity of energy use, and share of households without electricity or other modern energy services. A related undertaking is the Millennium Development Goals Indicators programme. These were designed to help track progress on the commitment made in 2000 in the United Nations Millennium Declaration. Out of over 60 indicators, there is only one directly related to energy - GDP per unit of energy use (which is the inverse of energy intensity and measures the energy productivity of a country).

The World Bank uses a set of core energy indicators to evaluate the impacts of its access projects. They include: the number of people provided with access to electricity for both grid and off-grid connections, the number of new community electricity connections by type (e.g. community centre, school, and hospital), the average interruption frequency per year in the project area, electricity technical and non-technical losses per year in the project area, transmission and distribution lines constructed, and generation capacity constructed under the project by type (conventional, renewable sources, and new or rehabilitation/retrofit). Such a framework entails useful insights for the development of a metrics at national and global level.



The Human Development Index (HDI), developed by the United Nations Development Programme (UNDP) was an attempt to overcome the shortcomings of one-dimensional indicators (UNDP, 1990). The HDI combines indicators pertaining to three dimensions of human deprivation, namely life expectancy, knowledge and education, and standard of living measured as a function of GDP. The HDI has also been widely criticised in the development literature for inconsistencies and methodological flaws (McGillivray, 1991; Morse, 2003; UNDESA, 2009). As a complement to the HDI, UNDP developed the Human Poverty Index (HPI) as a metric specifically tailored for developing countries. The HPI measures

¹⁰ Other notable minimum benchmarks for development come from nutrition: (Dandekar, 1971) assumed a calorie intake of 2250 per day as sufficient for both rural and urban conditions. A joint health committee led by the WHO (in 1985) revised this to 2700 calories.

similar aspects as the HDI, but by using different, more specific indicators for poverty. Both of these indicators, due to their widespread adoption and reporting, are influential in national policy-making.

The Environmental Sustainability Index (ESI), jointly developed by Yale and Columbia Universities, the World Economic Forum, and the European Commission's Joint Research Centre, benchmarks the ability of nations to protect the environment over time by integrating 76 variables, related to 21 indicators falling into 5 broad categories (Esty et al., 2005). The ESI score represents an equally weighted average of the 21 indicators' scores. Each indicator itself is a weighted sum of 2 to 12 underlying variables. Developed by the same group, the Environmental Performance Index (EPI) is formed by 25 performance indicators tracked across 10 policy categories covering both environmental public health and ecosystem vitality, with 1 to 4 indicators per category. Weights are attributed based on expert judgment¹¹.

Bandura (2006) considered an inventory of 165 composite indexes in the development space, and differentiated between simple and elaborate indexes. Around 8 of those use some form of energy indicator as a sub-set of the composite. As an example the Index of Human Insecurity is interesting as it uses net energy imports. They discuss how index design can often be linked to the type of public or private organisation undertaking the work, and note, "...there has been a growing trend, in both quantity of indices and variety of issuing institutions (either public or private) that are elaborating such indices."

Metrics specific to energy include the World Energy Assessment's sustainability indicators (UNDP, 2000). The list consists of 13 individual indicators. More comprehensive, the Energy Indicators for Sustainable Development (EISD), a collaborative effort led by the International Atomic Energy Agency (IAEA), provides definitions, guidelines and methodologies for the development and use of a set of energy indicators (Vera, 2007). Thirty individual indicators are classified into 3 dimensions (social, economic, and environmental) and further split into themes and sub-themes.

Mirza (2010) developed a new composite index to measure the degree of energy poverty among rural households in rural Pakistan. The index combines qualitative and quantitative elements in the form of a notion of excess inconvenience associated with the energy mix used and the lack of sufficient energy to meet basic household needs. They used a survey to investigate the factors which have an impact on the welfare of rural households when making choices concerning energy sources and energy mix.

The International Energy Agency (IEA) has a long history of using energy indicators. The Energy for Development Index (EDI), first presented in the 2004 World Energy Outlook (IEA, 2004), is a composite measure of energy use in developing countries. Designed to mirror the UNDP's HDI, the EDI is intended to assess a country's or region's progress in its transition to modern fuels and the degree of maturity of its energy end-use. The EDI is composed of three indicators: per-capita commercial energy consumption¹², share of commercial energy in total final energy use, and share of population with access to electricity. These three indicators have been chosen because they represent the best measures of a country's degree of transition towards modern energy use, taking into account the need to choose indicators for which data is available for the greatest possible number of countries. A separate indicator is created for each dimension, and the final index is then calculated as the arithmetic average of the three normalized indicators' values. In addition, WEO projections are used to evaluate future trends in EDI values, providing insights with regard to the need for policies and investments.



¹¹ <http://epi.yale.edu/>

¹² Note that per-capita consumption would not reflect aspects of energy efficiency improvement.


These various efforts have produced a rich set of lessons-learned from which to draw on when considering access to energy services. A mix of statistical rigour, transparency, national input, data availability, political attractiveness, simplicity, and usefulness for policy design will all be required. A wealth of literature (OECD, 2003; OECD, 2008; Saisana, 2002; Firoussi, 2009; UNDESA, 2001a) provides further useful insights for the development of indicators. When creating new metrics, Pinter (2005) argues for a close coordination with existing indicator systems. A clear issue that emerges from practice and the literature is related to data paucity and quality. In addition, most metrics are focused on supply side or input-oriented data, better tracking of consumption or energy services will be required. All of these issues will need to be considered as an integral part of any approach to measuring energy access.

2.1 *An Energy Security Analogy*

This sub-section considers the development of energy security metrics in order to inform the development of energy access metrics. Energy security and energy access are closely related in a number of respects, both areas include quantity, quality and temporal issues¹³. Thus, we can make use of some of the wide palette of security-related indicators. In addition, making explicit the strong link between energy access and energy security may prove a strong driver for action.

Power utilities and other energy companies regularly measure and report on security indicators. They are fundamental to managing and making transparent certain selected risks (Bazilian, 2008). The metrics range from plant availability rates (including forced outages and maintenance schedules) to loss-of-load probability, to system generation adequacy across different time frames¹⁴. The European Commission (2006) noted that energy security does not seek to maximise energy self-sufficiency or to minimise dependence, but aims to reduce the risks linked to such dependence.

The economic implications of unreliable energy services are daunting. A number of developing countries suffer from inadequate generation capacity, limited electrification, inefficient systems, and high costs. Countries affected by chronic energy issues take a heavy toll with regard to the loss of economic growth and productivity. Foster (2010) estimated the cost of power shortages and found that they are substantial, representing up to a few percents of GDP (Figure 3). It is therefore of crucial importance to include a dimension related to the qualitative aspects of energy services in the metrics to measure energy poverty.



¹³ There are other significant areas of overlap between the two topics such as energy governance, gas flaring, oil rich LDCs, etc. that we will not cover in this paper.

¹⁴ (Bazilian et al., 2006) presented around 50 individual metrics organised by themes of price, fuel stocks and diversity, and reliability.




Figure 3: Economic cost of outages in selected countries (Foster, 2010)

Jansen (2004) considered long-term energy security indices which address a larger number of long-term security aspects. An additional study by (Scheepers et al., 2007) provides two new indicators which can be compared across countries. The first is the Supply/Demand Index, which assesses the ability of a country's energy system to cover not only the supply of primary energy sources but also the conversion and transport of secondary energy carriers and final energy demands. The second indicator is the Crisis Capability Index (CCI). With this indicator the capability of a country or a region as a whole to manage and mitigate short-term supply interruptions can be assessed.

Given the potential number of individual energy security metrics (and energy access metrics that may emerge), classification is important. (Pearce, 2005) makes a distinction between 'upstream' security and 'downstream' security. The former refers to interruptions in supply of energy inputs to the electricity system (or any other energy supply system), the latter to interruptions in delivered energy from the electricity system. (Helm, 2002) categorises energy security into three discrete areas: supply (contracting) security, network (wires and delivery) security and diversity of fuel supply (or generation).

3. Options for Measuring Energy Access

3.1 Three Categories

We briefly outline three types of metrics. The models presented are not mutually exclusive. The options entail respective advantages and drawbacks in terms of theoretical soundness, ability to convey clear and coherent policy messages, ease of computation and data requirements, etc.

A. *Uni-dimensional indicator or set of indicators*


A uni-dimensional indicator, such as the \$1 dollar a day, has the advantage of providing raw data without the flaws related to aggregation. It presents a simple, easy-to-interpret metric that can carry a strong and easily understandable message.

Such an indicator could be based on one of the variables currently used to evaluate energy poverty, such as the rate of access to electricity or commercial energy. Alternatively, a new indicator could be developed, bearing in mind the shortcomings related to data availability. For instance, we could define energy amounts (by fuel) necessary for reaching the MDGs. Such an approach would require a number of normative assumptions that need careful analysis.

A set of indicators, or ‘dashboard’, would be based on a number of independent variables. It provides more richness of information than a uni-dimensional indicator, but requires more data. The set could comprise quantitative as well as qualitative proxies. However, distilling a clear message for policy guidance or broader communication from a set of independent indicators might be more challenging than from a single metric, which is commonly more appealing from a communication viewpoint.

B. Composite index

Composite indices are single numerals calculated from a number of variables, on the basis of an underlying model that seeks to represent an aggregated value of a concept that might be in itself elusive (e.g., sustainable development). They have been widely used as an alternative to single, uni-dimensional values. The rationale for composite indexes lies in the need for aggregated information at a level that makes analysis convenient. Composite indices are easier to interpret than trends in a number of separate variables. They have proven to be convenient in benchmarking performance – for example, between countries. If evaluated with the same methodology at regular time intervals, they provide information on changes across different units and time, thereby allowing trends to be identified.



The drawback of composite indices is that, by combining variables, the process include some form of reduction to a single measure, with all the associated methodological issues it implies. Composite indicators can be misleading in terms of policy, particularly when the analysis of the results is too simplistic and/or when the indicator is poorly constructed. Pros and cons of composite indicators are summarised in the literature (e.g. Saisana, 2002). Various publications have underlined the lack of theoretical underpinning of a number of composite indices (OECD, 2003; Munda, 2005), highlighting issues related to the aggregation model and/or the weightings in particular. This notwithstanding, many believe that composite indices provide a useful statistical summary of particular issues. Sharpe (2004) analyses the two school of thoughts, the “aggregators” and the “non-aggregators”: The former point to the potential to attract media and policy makers’ attention, and the latter claim that aggregation and weighting, in particular, is arbitrary.

Often a simple additive method, or weighted sum, is used. This model has been widely applied for its transparency and ease of use, including by non-experts. It is important to note that linear additive models (weighted or not) assume complete substitutability between the various components (Munda, 2005). Indeed, compiling a number of individual variables into a composite indicator inevitably implies a reduction of the information base and therefore a loss of information. This loss should be minimized to the extent possible. Zhou (2006) argues that aggregation methods based on a weighted product might perform better than the commonly used simple additive weighting method. Other, more advanced approaches deriving from multi-criteria decision analysis are commonly more complicated to compute. There are clear trade-offs in the choice of the aggregation model, notably in terms of loss of information, level of compensability allowed between variables, ease of use, and transparency.

A simple composite index, consisting of say 3 or 4 variables, would make it possible to combine the information related to the multidimensional nature of the issue in a way that is easy to understand, while at the same time remaining transparent. A more elaborated composite index would be composed of a larger number of indicators, like the ESI. However, the transparency of the outcome and the ease of use of the tool decrease as the complexity and resource requirements increase in terms of data collection and computation.

C. Hybrid

A hybrid approach would consist of an aggregated set of indicators that are monitored and reported upon individually along with a composite index. A hybrid approach would reconcile the advantages of a single, easy-to-understand and -interpret composite metric with the legitimate concerns related to aggregating information of various kinds.

Independent variables provide diverse and rich information. Therefore, a dashboard of indicators would provide analysts and policy makers with a complete, unbiased picture of the state of play in regard to energy access. At the same time, the crucial importance of maintaining political attention to energy poverty over the long term should not be underestimated. With this in mind, there is value in constructing a simple, transparent composite index based on the set of indicators selected while at the same time acknowledging the cruder nature of the metrics.

Existing indicators and composite indices could be complemented by new metrics. Keeping in mind the limitations related to data availability and reliability, already well-established metrics such as the EDI could be strengthened in parallel to the development of new energy poverty metrics as progress is made with regard to methodological and data gathering issues. Such approach would provide policy makers with continuity in the information provided. At the same time, this information base would augment and be reinforced by new data and metrics.

3.2 What to measure: access vs. deprivation

Conventional approaches commonly aim at evaluating access to energy. In other words, most energy access metrics focus on quantifying the ability to use energy – or supply side perspectives. Typical indicators include the quantity of energy consumed, and the share of households with access to electricity.



While those metrics have proved to be useful, a complementary alternative is the measure of deprivation. Such an approach is consistent with the concept of development seen as the ability to choose (see Sen, 1999). This is supported in (UNDP, 2001) which stated, “Development is about expanding choices people have to lead lives that they value”. Viewing energy poverty in terms of deprivation entails a number of advantages, as well as challenges. Amongst the latter, the methodological tools are nascent, although precedents exist¹⁵, and the set of data required is not universally available. The benefits however are manifold in that such approach addresses some of the shortcomings of classical access-based methodologies.

For instance, the notion of affordability is naturally captured into indicators of deprivation, which is not necessarily the case when measuring access. Indeed, the lack of ability to pay for energy services represents a deprivation. For instance, an indicator on access to mechanical power for irrigation might provide biased insights in that the need for such energy services varies depending on a range of issues (e.g. availability of sufficient rainfall, and the possibility to use gravitational irrigation systems). An indicator of energy deprivation takes into account the notion of demand and therefore has the potential to better assess energy poverty¹⁶.

Development is a complex issue often characterised by non-linear processes. The increase (or decrease) in an access variable cannot always unequivocally be interpreted as progress (or regress) in terms of development. For instance, a higher share of household expenditure on energy (often a characteristic in poor settings) is to be considered as adverse in terms of development. However, the shift from the use of non-commercial biomass to more modern, commercial fuels intrinsically implies

¹⁵ In the context of the Clean Development Mechanism, the concept of suppressed demand is used for the definition of baselines (see e.g. Winkler, 2002).

¹⁶ Energy consumption data implicitly includes the effects of end-use energy efficiency. However, in many developing countries, efficient energy devices are not available. As a result, energy statistics can become “bloated”, while the actual energy services could be met with a significantly lower energy input.

an increase in household expenditure on energy. Here again, considering the issue from the perspective of energy deprivation allows us to better understand energy.

3.3 *Using proxies*

Focusing on energy services brings about new challenges with regard to identifying indicators. Quantifying some energy services, such as mechanical power or lighting, might benefit from the use of proxy indicators. The choice of the proxy entails some normative judgment and it is crucial to ensure that it is closely correlated with the service to be quantified. The use of proxies represents a potentially powerful tool to explore new grounds in terms of quantifying energy poverty. The examples below could be useful as proxies to quantify deprivation with regard to important energy services. They could be utilised in any of the indicator-types described.

- **Clean Cooking:** The implications of the use of traditional biomass in open fires are well covered in the literature (e.g. UNDP, 2009). As a proxy for clean cooking, one could use the use of solid fuels¹⁷ - traditional biomass¹⁸ and coal, which represent a measure of the deprivation of using more modern fuels.
- **Lighting:** Besides the obvious aspect of the quality and intensity of the light, household expenditures for fuel for kerosene lamps tends to be larger than for electricity if they had access. The use of kerosene for lighting therefore represents an energy access deprivation. A proxy for the lack of access to modern energy for lighting could be kerosene consumption.
- **Mechanical power:** Commercial energy consumed in rural agriculture could be used as a proxy for mechanical power¹⁹. The actual energy requirement is contingent to the context (e.g. availability of reliable rainfall) and requires a normative estimation based on minimal needs with which the actual consumption can be compared in order to derive the deprivation.

We note that other energy services such as refrigeration and aspects of communication are also essential to development and may be useful to track over time. The identification of adequate proxies for those services as well as the data availability currently represents a major barrier to their inclusion in a representative analysis of energy poverty. As noted, another dimension that would provide valuable insights is that of policy. Indeed, widespread energy access is contingent to well a designed, dedicated policy framework. Nevertheless, identifying and computing a proxy for effective policy is rather challenging.

4. Next steps

4.1 *A Measurement Framework*

Defining energy poverty metrics and respective targets is a complex task. First, there is a need for an adequate understanding of the issue to be measured. Then, a theoretical framework is required and, finally, sufficient confidence in the set of indicators or the composite index should be gained through thorough testing.

Metrics of energy poverty would likely be best undertaken at the national level. The data could then be reported annually²⁰ and also serve as a basis for training and capacity development in the energy

¹⁷ World Health Organization maintains the database on solid fuels on behalf of UN System.

¹⁸ The International Energy Agency has historical values since 1971, by country and regions, including actual consumption levels and share of household relying on traditional fuels as primary source for cooking.

¹⁹ The energy for water pumping for irrigation purposes could also be considered.

²⁰ It is recognised that annual reporting may not be feasible for most least developed countries. Programmes could be put in place that begin with, say, 5 year reporting to follow national plans, move to bi-annual and then annual.

sector in developing countries. Computing energy poverty metrics would require the creation of new or augmented data-gathering systems and activities. This in turn would help increase the richness of energy planning analyses that could be conducted. These tertiary benefits of implementing measurement activities may prove to be even more valuable than the original impetus for them.

It is envisaged that the energy access metrics could be aligned closely with measurements of sustainable development. In general, desirable principles of the metrics should (Atkinson et al. 2002):

- identify the essence of the problem and have a clear and accepted normative interpretation;
- be robust and statistically validated;
- be responsive to effective policy interventions but not subject to manipulation;
- be measurable in a sufficiently comparable way across countries, and comparable as far as practicable with the standards applied internationally;
- be timely and susceptible to revision;
- not impose too large a burden on stakeholders.

Ideally the metrics chosen should allow for temporal comparison to evaluate the progress over time – ranking of countries, although insightful, should not be regarded as the ultimate objective. The resulting “tool kit” should permit a wide range of additional statistical analysis that provides supplementary policy guidance.

We argue that the metrics to evaluate energy poverty should be designed around the concept of energy services to the extent possible. Although more difficult to measure, what matters ultimately to the end user is the utility of energy. With regard to energy access targets, we also need to further define either widespread access (less than 100%) or universal access (100%) or both, as different parts of a pathway.

4.2 Tools

Initially we suggest building upon and expanding from existing tools. The objective is to apply a set of tools that allows for coherent reporting. Therefore, a combination of two composite indices, including their respective indicators, with three to five complementary metrics in several pilot countries in the short term would provide a useful framework. We suggest, as a minimum, tracking these categories²¹:

- Cooking
- Lighting
- Mechanical power²²

In addition to these three categories, beginning to gather data on: policies, related infrastructure, and regulation/governance would enhance the usefulness of the reporting schemes. For all categories creating and maintaining data sets and training people to undertake this task will be a crucial area. The IEA’s EDI index could be produced on an annual basis and used for time series evaluation. It could also be augmented by a new index that includes some elements of quality issues, and/or proxies.

²¹ In addition to these, the World Bank used the following classification for evaluating programmes: productive uses and energy efficiency, direct policies to support energy access, power plants, transmission and other infrastructure, general sector reform projects including capacity building

²² Noting that mechanical power is much larger in scale than the other energy services, we suggest including this dimension also because mechanical power directly contributes to increase the efficiency and effectiveness of productive activities that directly support development, as well as physical processes fundamental to meeting basic human needs. These services also tend to have a large return on investment and results in significant development outcomes (ESMAP, 2008). The data paucity in this area is even more severe than the others.

4.3 Organisational aspects and pilots

The ultimate objective is to allow for tracking progress towards universal modern energy access. At the national level, data collection and measurement needs to be tied to or aligned with central statistics offices. The international community needs to play an active role in building capacity at the and providing resources to increase the quality and quantity of data. Improving the data is an enormous task, and one that will take years. This exercise will require a cooperative and agreed approach conducted by an international body. Annual reporting, conducted at the national level, similar to that done for the HDI (or other metrics outlined in Section 2), is likely appropriate.

The UN is well placed to help take this work forward in partnership with the IEA. The UN has an interagency mechanism for energy, UN-Energy, which is specifically designed to help coordinate cross-cutting issues, and would benefit from such a mandate. The IEA's well-respected statistical resources would help leverage the UN's strength and underpin a strong partnership. Dedicated financial and human resources would then be needed to coordinate the effort, maintain the database, report, and further develop and improve the methodology.

Piloting a measurement and reporting programme in 5-7 countries initially would provide valuable insights into: data gaps, data gathering techniques, appropriateness and usefulness of various indicators and proxies, training needs, institutional requirements, useful reporting formats, how best to support national policies, and the role of international cooperation. It would also provide the basis for the development of a more generalisable toolkit for policy-makers and national statistics offices. This could be in part supported through the IEA statistics office and in-country UN offices. The pilot countries could then issue national reports within 12-18 months.

5. Conclusions

Agreeing on a global target for universal access to energy services will be an important step in moving to inclusive sustainable development. A robust set of measurement tools will be crucial for national policy-making as well as international cooperation. Precedents exist from both the energy and the development communities for measuring a wide range of issues related to development. Designing the measurement toolbox and implementing a reporting system can help move energy access to the heart of the development agenda. Taking this work forward and ensuring continuity in these efforts will require creating an organisational mandate and related human and financial resources.

While an absolute measure of energy poverty is elusive, we believe that many aspects related to this issue can be meaningfully reflected by means of a well designed set of metrics. We nevertheless acknowledge that any measure of energy poverty will remain crude, entail shortcomings, particularly given the weak information available, and provide only an incomplete picture of the issue.

This paper recognises the need for establishing the theoretical underpinning of energy poverty. It also appreciates the need for pragmatism in the development of an indicator that is easily computable, flexible enough to be used in various contexts, and that acknowledges the issues related to the availability of reliable, comprehensive datasets. Appreciating the multidimensional nature of energy poverty, trade-offs exist, and decisions will have to be made to strike a balance between methodological sophistication and theoretical accuracy on the one hand, and applicability and transparency on the other. If this can be achieved, such a tool would be a useful support for national policy-makers, a driver for the enormous changes required, and a powerful influence for moving energy poverty up political and developmental priority agendas.

Acknowledgments

This paper was informed from an expert group meeting held at Columbia University, New York, on 31 March 2010, and the authors acknowledge the valuable contribution from all participants. In

addition, useful information was also garnered from an expert meeting at the IEA, Paris on May 7, 2010. Finally, we would like to acknowledge the support and guidance by Jose Goldemberg, Nebojsa Nakićenović, and Fatih Birol.

Disclaimer

The views expressed herein are those of the authors and do not necessarily reflect the views of the respective institutions. The designations employed and the presentation of the material in this document do not imply the expression of any opinion whatsoever concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries, or its economic system or degree of development. Designations such as “developed”, “industrialized” and “developing” are intended for statistical convenience and do not necessarily express a judgment about the stage reached by a particular country or area in the development process.

References

- AGECC. 2010. *Energy for a Sustainable Future*. New York: The Secretary-General's Advisory Group on Energy and Climate Change.
- Atkinson, Tony, Bea Cantillon, Eric Marlier, and Brian Nolan. 2002. *Social Indicators: The EU and Social Inclusion*. Oxford University Press, USA.
- Bandura, R. 2006. *A Survey of Composite Indices Measuring Country Performance:(2006), Update*.
- Bazilian, Morgan, Fergal O'Leary, Brian Ó Gallachóir, and Martin Howley. 2006. *Security of Supply Metrics*. Sustainable Energy Ireland, Energy Policy Statistical Support Unit, January. http://www.seai.ie/Publications/Statistics_Publications/EPSSU_Publications/SEI_Security_of_Supply_Metrics.pdf.
- Bazilian, Morgan, and Fabien Roques. 2008. *Analytical methods for energy diversity and security*. Elsevier.
- Chen, Shaohua, and Martin Ravallion. 2008. The developing world is poorer than we thought, but no less successful in the light against poverty. http://siteresources.worldbank.org/JAPANINJAPANESEEXT/Resources/515497-1201490097949/080827_The_Developing_World_is_Poorer_than_we_Thought.pdf.
- Commission of the European Communities. 2006. A European Strategy for Sustainable, Competitive and Secure Energy. Green Paper. Brussels. http://www.energy.eu/directives/2006_03_08_gp_document_en.pdf.
- Dandekar, V. M., and Nilakantha Rath. 1971. Poverty in India-II: Policies and Programmes. *Economic and Political Weekly* 6, no. 2 (January 9): 106-146.
- DFID. 2002. *Energy for the Poor - Underpinning the Millennium Development Goals*. UK Department for International Development. <http://www.dfid.gov.uk/Documents/publications/energyforthepeer.pdf>.
- EAC. 2006. *Strategy on Scaling up Access to Modern Energy Services in order to achieve the Millennium Development Goals*. East African Community. http://www.eac.int/energy/index.php?option=com_docman&task=doc_download&gid=15&Itemid=70.
- ECOWAS. 2005. *White Paper for a Regional Policy - Geared towards increasing access to energy services for rural and periurban populations in order to achieve the Millennium Development Goals*. Economic Community of West African States. http://www.gm.undp.org/Reports/ECOWAS_energy_white_paper.pdf.
- ESMAP. 2008. *Maximizing the Productive Uses of Electricity to Increase the Impact of Rural Electrification Programs*. Washington, DC: Energy Sector Management Assistance Program, The World Bank Group, April. http://www.esmap.org/filez/pubs/618200840844_technical_april08.pdf.
- Esty, Daniel C., Marc Levy, Tanja Srebotnjak, and Alexander de Sherbinin. 2005. *Environmental Sustainability Index Report*. New Haven. <http://www.yale.edu/esi/>.
- Fankhauser, Samuel, and Sladjana Tepic. 2007. Can poor consumers pay for energy and water? An affordability analysis for transition countries. *Energy Policy* 35, no. 2 (February): 1038-1049. doi:10.1016/j.enpol.2006.02.003.
- Fitz Gerald, John. 2003. *Energy policy in Ireland*. Dublin: The Economic and Social Research Institute. <http://www.esri.ie/pdf/WP0160%20Energy%20Policy%20in%20Ireland.pdf>.
- Foster, Vivien, and Cecilia Briceno-Garmendia. 2010. *Africa's Infrastructure - A Time for Transformation*. Washington, DC: The International Bank for Reconstruction and Development / The World Bank.

- <http://www.infrastructureafrica.org/aicd/library/doc/552/africa%E2%80%99s-infrastructure-time-transformation>.
- Fransen, T., H. McMahon, and S. Nakhooda. 2008. Measuring the Way to a New Global Climate Agreement. *World Resources Institute Discussion Paper*. Washington, DC: World Resources Institute.
- GNESD. 2008. *Clean Energy for the Urban Poor: An Urgent Issue*. Global Network on Energy for Sustainable Development. http://www.gnesd.org/Downloadables/SPM_CleanEnergy.pdf.
- Goldemberg, J., T. B. Johansson, A. K.N. Reddy, and R. H. Williams. 1985. Basic needs and much more with one kilowatt per capita. *Ambio* 14, no. 4: 190–200.
- Helm, D. 2002. Energy policy: security of supply, sustainability and competition. *Energy Policy* 30, no. 3: 173–184.
- Howells, Mark I., Sandra Jonsson, Emilia Käck, Philip Lloyd, Kevin Bennett, Tony Leiman, and Beatrice Conradie. 2010. Calabashes for kilowatt-hours: Rural energy and market failure. *Energy Policy* 38, no. 6 (June): 2729–2738. doi:10.1016/j.enpol.2009.11.063.
- IAEA. 2005. *Energy Indicators for Sustainable Development: Guidelines and Methodologies*. Vienna. http://www-pub.iaea.org/MTCD/publications/PDF/Pub1222_web.pdf.
- IEA. 2004. *World Energy Outlook 2004*. Paris.
- . 2009a. *World Energy Outlook 2009*. Paris.
- . 2009b. *Comparative Study on Rural Electrification Policies in Emerging Countries*. Paris. http://www.iea.org/papers/2010/rural_elect.pdf.
- . 2009c. *IEA Scoreboard 2009*. Paris.
- Jansen, J. C., W. G. Van Arkel, and M. G. Boots. 2004. *Designing indicators of long-term energy supply security*. Energy research Centre of the Netherlands. <http://www.ecn.nl/docs/library/report/2004/c04007.pdf>.
- Kanagawa, Makoto, and Toshihiko Nakata. 2008. Assessment of access to electricity and the socio-economic impacts in rural areas of developing countries. *Energy Policy* 36, no. 6 (June): 2016–2029. doi:10.1016/j.enpol.2008.01.041.
- Lovins, A. B. 1976. Energy strategy: the road not taken. *Foreign Affairs* 55: 65.
- McGillivray, Mark. 1991. The human development index: Yet another redundant composite development indicator? *World Development* 19, no. 10: 1461–1468.
- Mirza, B., and A. Szirmai. 2010. Towards a New Measurement of Energy Poverty: A Cross-Community Analysis of Rural Pakistan. UNU-MERIT Working Paper Series.
- Modi, Vijay, Susan McDade, Dominique Lallement, and Jamal Saghir. 2005. *Energy Services for the Millennium Development Goals*. Energy Sector Management Assistance Programme, United Nations Development Programme, UN Millennium Project, and World Bank. http://www.unmillenniumproject.org/documents/MP_Energy_Low_Res.pdf.
- Morse, Stephen. 2003. For better or for worse, till the human development index do us part? *Ecological Economics* 45, no. 2: 281–296.
- Munda, Giuseppe, and Michela Nardo. 2005. Constructing Consistent Composite Indicators: the issue of Weights. http://crell.jrc.ec.europa.eu/Well-being/papers/Munda_Nardo_euroreport1.pdf.
- OECD. 2003. Composite indicators of country performance: a critical assessment. <http://ideas.repec.org/p/oec/stiaaa/2003-16-en.html>.
- . 2008. *Hanbook on Constructing Composite Indicators: Methodology and User guide*. <http://www.oecdbookshop.org/oecd/display.asp?CID=&LANG=en&SF1=DI&ST1=5KZN79>

PVDJ5J.

- Pachauri, Shonali, and Daniel Spreng. 2003. Energy use and energy access in relation to poverty. http://econpapers.repec.org/scripts/redir.plex?u=http%3A%2F%2Fwww.cepe.ethz.ch%2Fpublications%2FworkingPapers%2FCEPE_WP25.pdf;h=repec:cee:wpcepe:03-25.
- Pearce, David. 2005. Closing Summary by the Chairman presented at the IEA/NEA Workshop on Security of Energy Supply for Electricity Generation, May 24, IEA, Paris. <http://www.iea.org/work/2005/IEA-NEAworkshop/Presentations/Chairsum.PDF>.
- Pinter, Laszlo, Peter Hardi, and Peter Bartelmus. 2005. *Sustainable Development Indicators - Proposals for a Way Forward*. <http://www.iisd.org/publications/pub.aspx?pno=769>.
- Saisana, Michaela, and Stefano Tarantola. 2002. State-of-the-art Report on Current Methodologies and Practices for Composite Indicator Development. http://composite-indicators.jrc.ec.europa.eu/Document/state-of-the-art_EUR20408.pdf.
- Scheepers, Martin, Ad Seebregts, Jacques de Jong, and Hans Maters. 2007. *EU Standards for Energy Security of Supply*. Energy research Centre of the Netherlands. <http://www.ecn.nl/publicaties/PdfFetch.aspx?nr=ECN-E--07-004>.
- Sen, A. 1999. *Development as freedom*. Oxford University Press.
- Sharpe, Andrew. 2004. Literature Review of Frameworks for Macro-indicators. <http://ideas.repec.org/p/sls/resrep/0403.html>.
- Stiglitz, Joseph E., Amartya Sen, and Jean-Paul Fitoussi. 2009. *Report by the Commission on the Measurement of Economic Performance and Social Progress*. <http://www.stiglitz-sen-fitoussi.fr/en/index.htm>.
- Takada, Minuro, and Slivia Fracchia. 2007. *A Review of Energy in National MDG Reports*. New York: United Nations Development Programme. <http://www.energyandenvironment.undp.org/undp/index.cfm?module=Library&page=Document&DocumentID=6148>.
- Teng, Fei, Yu Wang, Alun Gu, Ruina Xu, Hilary McMahon, and Deborah Sligsohn. 2009. *Mitigation Actions in China: Measurement, Reporting and Verification*. WRI Working Paper. Washington, DC: World Resources Institute. http://pdf.wri.org/working_papers/china_mrv.pdf.
- UNDESA. 2001a. *Indicators of Sustainable Development: Guidelines and Methodologies*. New York. <http://www.un.org/esa/sustdev/publications/indisd-mg2001.pdf>.
- . 2001b. *Report on the integration of indicators of sustainable development*. Background Paper for the Ninth Session of the Commission on Sustainable Development. New York. <http://www.un.org/esa/sustdev/csd/csd9-aisd-bp.pdf>.
- . 2007. *Indicators of Sustainable Development: Guidelines and Methodologies*. New York. <http://www.un.org/esa/sustdev/natlinfo/indicators/guidelines.pdf>.
- . 2009. *Rethinking Poverty - Report on the World Social Situation 2010*. New York. http://www.un.org/esa/socdev/rwss/2010_media.html.
- UNDP. 1990. *Human Development Report*. New York: Oxford University Press. <http://hdr.undp.org/en/reports/global/hdr1990/chapters/>.
- . 2000. *World Energy Assessment*. New York.
- . 2001. *Human Development Report*. New York: Oxford University Press. <http://hdr.undp.org/en/media/completenew1.pdf>.
- . 2005. *Energizing the Millennium Development Goals: A Guide to Energy's Role in Reducing Poverty*.

- . 2007. *Mainstreaming Access to Energy Services: Experiences from Three African Regional Economic Communities*. United Nations Development Programme.
- UNDP, and WHO. 2009. *The Energy Access Situation in Developing Countries - A Review on the Least Developed Countries and Sub-Saharan Africa*. New York.
http://content.undp.org/go/cms-service/stream/asset/?asset_id=2205620.
- UN-Energy. 2005. *The Energy Challenge for Achieving the Millennium Development Goals*.
<http://esa.un.org/un-energy/pdf/UN-ENRG%20paper.pdf>.
- Vera, Ivan, and Lucille Langlois. 2007. Energy indicators for sustainable development. *Energy* 32, no. 6: 875-882.
- Winkler, H., and S. Thorne. 2002. Baselines for suppressed demand: CDM projects contribution to poverty alleviation. *South African Journal of Economic and Management Sciences* 5, no. 2: 413-429.
- World Bank. 2007. *Africa Development Indicators 2007*. Washington, DC.
http://siteresources.worldbank.org/INTSTATINAFR/Resources/adi2007_final.pdf.
- Zhou, P., B.W. Ang, and K.L. Poh. 2006. Comparing aggregating methods for constructing the composite environmental index: An objective measure. *Ecological Economics* 59, no. 3: 305-311.